

Indefinite Integral

$$\int x^2 dx = \frac{x^3}{3} + C$$

all antiderivatives
of x^2

Definite Integral

$$\int_1^4 x^2 dx = \left. \frac{x^3}{3} \right|_1^4 = \frac{64}{3} - \frac{1}{3} = 21$$

area under
a curve

4.4-4.5 Review of Integration Cont'd

Ex: Evaluate $\int_1^2 (x^2 - 4) dx$

$$= \left[\frac{x^3}{3} - 4x \right]_1^2$$

$$= \left(\frac{8}{3} - 8 \right) - \left(\frac{1}{3} - 4 \right)$$

$$= -\frac{5}{3}$$

Ex: Evaluate $\int_0^2 2x(x^2+1)^3 dx$

Method 1:

$$\begin{aligned} u &= x^2 + 1 \\ du &= 2x dx \end{aligned}$$

$$= \int_{x=0}^{x=2} u^3 du$$

$$= \left. \frac{u^4}{4} \right|_{x=0}^{x=2}$$

$$= \frac{1}{4} (x^2+1)^4 \Big|_0^2$$

$$= \frac{1}{4} [5^4 - 1]$$

$$= \frac{624}{4}$$

$$= 156$$

Method 2:

$$\int_0^2 2x(x^2+1)^3 dx$$

$$\begin{aligned} u &= x^2 + 1 \\ du &= 2x dx \\ x=0 &\Rightarrow u=1 \\ x=2 &\Rightarrow u=5 \end{aligned}$$

$$\begin{aligned}
&= \int_1^5 u^3 du \\
&= \left. \frac{u^4}{4} \right|_1^5 \\
&= \frac{5^4}{4} - \frac{1}{4} \\
&= 156
\end{aligned}$$

Ex: Evaluate $\int_0^1 \frac{x}{(x^2+1)^4} dx$

$$\begin{aligned}
u &= x^2 + 1 \\
du &= 2x dx \\
\frac{du}{2} &= x dx \\
x=0 &\Rightarrow u=1 \\
x=1 &\Rightarrow u=2
\end{aligned}$$

$$\begin{aligned}
&= \frac{1}{2} \int_1^2 \frac{du}{u^4} \\
&= \frac{1}{2} \int_1^2 u^{-4} du
\end{aligned}$$

$$= \frac{1}{2} \left(-\frac{1}{3} u^{-3} \right) \Big|_1^2$$

$$= -\frac{1}{6} \left(\frac{1}{8} - 1 \right)$$

$$= \frac{7}{48}$$

S.2 and S.4 Exponentials and Logs: Integration

$$\int \frac{1}{u} du = \ln|u| + C$$

Ex: $\int \frac{x}{x^2+4} dx$

$$= \frac{1}{2} \int \frac{du}{u}$$

$$= \frac{1}{2} \ln|u| + C$$

$$= \frac{1}{2} \ln|x^2+4| + C$$

$$\begin{aligned} u &= x^2+4 \\ du &= 2x dx \\ \frac{du}{2} &= x dx \end{aligned}$$

Ex: $\int \frac{1}{3x+7} dx$

$$\begin{aligned} u &= 3x+7 \\ du &= 3 dx \\ \frac{du}{3} &= dx \end{aligned}$$

$$= \frac{1}{3} \int \frac{du}{u}$$

$$= \frac{1}{3} \ln |u| + C$$

$$= \frac{1}{3} \ln |3x+7| + C$$

Shortcut

$$\int \frac{dx}{ax+b} = \frac{1}{a} \ln |ax+b| + C \quad (a \neq 0)$$

Ex: $\int \frac{3x^3 - 5x^2 + 10x - 3}{3x+1} dx$

Long Division

$$f(x) = \frac{3x^3 - 5x^2 + 10x - 3}{3x+1}$$

$$x^2 - 2x + 4$$

$$\begin{array}{r} (3x+1) \overline{) 3x^3 - 5x^2 + 10x - 3} \\ \underline{-(3x^3 + x^2)} \\ -6x^2 + 10x - 3 \\ \underline{-(-6x^2 - 2x)} \\ 12x - 3 \\ \underline{-(12x + 4)} \\ -7 \end{array}$$

$$f(x) = x^2 - 2x + 4 - \frac{7}{3x+1}$$

$$\begin{aligned} \text{Integral} &= \int (x^2 - 2x + 4 - \frac{7}{3x+1}) dx \\ &= \frac{x^3}{3} - x^2 + 4x - \frac{7}{3} \ln|3x+1| + C \end{aligned}$$

Ex: $\int \cot \frac{\theta}{4} d\theta$

$$= \int \frac{\cos \frac{\theta}{4}}{\sin \frac{\theta}{4}} d\theta$$

$$\begin{aligned} u &= \sin \frac{\theta}{4} \\ du &= \frac{1}{4} \cos \frac{\theta}{4} d\theta \end{aligned}$$

$$= 4 \int \frac{du}{u}$$

$$= 4 \ln |u| + C$$

$$= 4 \ln \left| \sin \frac{\theta}{4} \right| + C$$

$$4du = 6s \frac{\theta}{4} d\theta$$

Ex: $\int \frac{(\ln x)^3}{x} dx$

$$u = \ln x$$
$$du = \frac{1}{x} dx$$

$$= \int u^3 du$$

$$= \frac{u^4}{4} + C$$

$$= \frac{1}{4} (\ln x)^4 + C$$

Ex: $\int \frac{3x}{(x-2)^2} dx$

$$u = x - 2$$
$$du = 1 dx$$
$$x = ?$$

$$x = u + 2$$

$$= 3 \int \frac{(u+2)}{u^2} du$$

$$= 3 \int \left(\frac{1}{u} + \frac{2}{u^2} \right) du$$

$$= 3 \left[\ln|u| - 2u^{-1} \right] + C$$

$$= 3 \left[\ln|x-2| - 2(x-2)^{-1} \right] + C$$

Ex:

$$\int \frac{\sqrt{x}}{\sqrt{x}-1} dx$$

(Note: In the original image, the numerator \sqrt{x} and denominator $\sqrt{x}-1$ are circled, and a question mark is above the integral sign. The denominator is also underlined and labeled with u below it.)

$$\begin{aligned} u &= \sqrt{x} - 1 \\ u+1 &= \sqrt{x} \\ (u+1)^2 &= x \end{aligned}$$

$$u = \sqrt{x} - 1$$

$$du = \frac{1}{2} x^{-1/2} dx$$

$$2du = \frac{dx}{\sqrt{x}}$$

$$\sqrt{x} dx = ?$$

$$\frac{dx}{\sqrt{x}} = 2du$$

$$\sqrt{x} dx = 2x du$$

$$\sqrt{x} dx = 2(u+1)^2 du$$

$$\begin{aligned}
&= \int \frac{2(u+1)^2 du}{u} \\
&= 2 \int \frac{u^2 + 2u + 1}{u} du \\
&= 2 \int \left(u + 2 + \frac{1}{u}\right) du \\
&= 2 \left[\frac{u^2}{2} + 2u + \ln|u| \right] + C \\
&= 2 \left[\frac{(\sqrt{x}-1)^2}{2} + 2(\sqrt{x}-1) + \ln|\sqrt{x}-1| \right] + C
\end{aligned}$$

$$\int e^u du = e^u + C$$

Ex: $\int e^{8x+4} dx$

$$\begin{aligned}
u &= 8x+4 \\
du &= 8dx \\
\frac{du}{8} &= dx
\end{aligned}$$

$$\begin{aligned}
&= \frac{1}{8} \int e^u du \\
&= \frac{1}{8} e^u + C \\
&= \frac{1}{8} e^{8x+4} + C
\end{aligned}$$

Shortcut

$$\int e^{ax+b} dx = \frac{1}{a} e^{ax+b} + C$$

$(a \neq 0)$

Ex: $\int \frac{4e^{3x}}{2+5e^{3x}} dx$

$$u = 2 + 5e^{3x}$$
$$du = 15e^{3x} dx$$
$$\frac{du}{15} = e^{3x} dx$$

$$= \frac{4}{15} \int \frac{du}{u}$$

$$= \frac{4}{15} \ln|u| + C$$

$$= \frac{4}{15} \ln|2 + 5e^{3x}| + C$$

Ex: $\int e^x \sqrt{1+e^x} dx$

$$u = 1 + e^x$$
$$du = e^x dx$$

$$= \int \sqrt{u} \, du$$

$$= \frac{2}{3} u^{3/2} + C$$

$$= \frac{2}{3} (1+e^x)^{3/2} + C$$